



**BURROW'S**  
COMPLETE POST-FRAME SOLUTIONS

# STOCK ITEMS

Rev. 04.03.25



# EVERYTHING YOU NEED TO SUCCEED

---

Discover our comprehensive range of high-quality stock items meticulously selected to suit the needs of post-frame contractors.

From essential components to specialized materials, we offer reliable, ready-to-ship solutions that ensure your projects stay on schedule. Partner with us for unmatched support and commitment to your success in every build.

## Table of Contents

---

### FRAMING – Pages 2-4

.6 CCA Treated Southern Yellow Pine  
Untreated Lumber  
KDAT, MSR, LVL, SPF, V Bracing, OSB

### FOUNDATIONS – Pages 5-7

Brackets  
FootingPad  
Uplift Plate  
Clips  
Perma-Column®

### TRUSSES – Pages 8-9

Stock Trusses  
Special Order Truss Guide

### METAL – Pages 10-13

Metal Products Guide  
Color Guide  
Woodgrain Steel Guide  
Trim Solutions

### WEATHERPROOFING – Pages 14-15

Foams  
Closures  
Insulation  
House wrap  
Pipe Boots  
Ridge Vent  
Gable Vent

### ACCESSORIES – Pages 16-24

Cupolas  
Weathervanes  
Windows & Skylights  
Doors  
Sliding Door Hardware

### FASTENING & FINISHING – Pages 25-27

Nails  
Screws  
Washers  
Nuts  
Touch Up Products

## TREATED .6 CCA POSTS

---

### 4x4 TREATED YELLOW PINE POSTS

Bundles: 84/ea.

Available Lengths: 12'

#4412MCAPOST

### 6x6 TREATED YELLOW PINE POSTS

Bundles: 32/ea.

Available Lengths: 14', 16', 18', 20', 22', 24'

#66(LENGTH)MCAPOST

### 5x5 TREATED YELLOW PINE POSTS

Bundles: 45/ea.

Available Lengths: 8', 12', 14', 16', 18', 20'

#55(LENGTH)CCAPOST

## CCA .6 LUMBER

---

### 2x4 TREATED YELLOW PINE

Bundles: 208/ea.

Available Grades/Lengths: #3 -20'

#24203MCA

### 2x8 TREATED YELLOW PINE

Bundles: 96/ea.

Available Grades/Lengths: #1 - 12', 14', 16', 18', 20'

#28(LENGTH)CCA

### 2x6 TREATED YELLOW PINE

Bundles: 128/ea.

Available Grades/Lengths:

- #1 - 12', 14', 16', 18', 20'
- #3 - 10', 12', 16', 20'

#26(LENGTH/GRADE)CCA

### 2x10 TREATED YELLOW PINE

Bundles: 80/ea.

Available Grades/Lengths: #2 - 12', 14', 16', 18', 20'

#210(LENGTH)2CCA

## UNTREATED LUMBER

---

### 2x4 UNTREATED YELLOW PINE

Bundles: 208/ea.

Available Grades/Lengths:

- #2 - 10', 12', 14', 16', 18', 20'
- #3 - 10', 12', 14', 16', 18', 20'

#24(LENGTH/GRADE)YP

### 2x6 UNTREATED YELLOW PINE

Bundles: 128ea.

Available Grades/Lengths:

- #1 - 12', 14', 16', 18', 20'
- #2 - 12', 16', 18', 20'
- #3 - 10', 12', 14', 16', 18', 20'

#26(LENGTH/GRADE)YP

### 2x8 UNTREATED YELLOW PINE

Bundles: 96/ea.

Available Grades/Lengths: #3 - 12', 16', 20'

#28(LENGTH/GRADE)YP

### 2x10 UNTREATED YELLOW PINE

Bundles: 80/ea.

Available Grades/Lengths: #2 - 12', 16', 20'

#210(LENGTH/GRADE)YP

### 2x12 UNTREATED YELLOW PINE

Bundles: 60/ea.

Available Grades/Lengths: #1 - 12', 16', 20'

#212(LENGTH/GRADE)YP

## KDAT LUMBER

---

### 2x6 KILN DRIED AFTER TREATMENT (KDAT) LUMBER

Bundles: 128/ea.

Available Lengths: #1 - 12', 14', 16', 18', 20'

#26(LENGTH)1KDAT

## MSR LUMBER

---

### 2x6 2400 MSR YELLOW PINE

Bundles: 128/ea.

Available Lengths: 14', 16', 20'

#26(LENGTH)MSR

### 2x8 2400 MSR YELLOW PINE

Bundles: 96/ea.

Available Lengths: 12', 16', 20'

#28(LENGTH)MSR

## LVL LUMBER

---

### 1 1/2"

Available Sizes:

- 1.5" x 11-7/8" x 20'
- 1.5" x 11-7/8" x 26'
- 1.5" x 16" x 20'
- 1.5" x 18" x 32'

#LVL15(WIDTH)(LENGTH)

## SPF LUMBER

---

### 2x4 #2 PREMIUM SPF

Bundles: 128/ea.

Available Lengths: 16', 18', 20'

#24(LENGTH)2SPF

#26(LENGTH)2SPF

### 2x6 #2 PREMIUM SPF

Bundles: 128/ea.

Available Lengths: 12', 16', 18', 20'

## V-BRACING

---

### 5x5 CCA .6 TREATED YELLOW PINE V-BRACE

Available Lengths: 32" & 48"

#55(LENGTH)VB

### 6x6 CCA .6 TREATED YELLOW PINE V-BRACE

Available Lengths: 32" & 48"

#66(LENGTH)VB

### NAIL LAM V-BRACING

3PLY 2x6 & 2x8- 32" & 48"

4PLY 2x6 & 2x8- 32" & 48"

#(# OF PLYS)PLY(LENGTH)VB

## OSB

---

### 7/16" ORIENTED STRAND BOARD (OSB) 4'x8' SHEET

Pallets: 128/ea.

#716OSB

# FOUNDATIONS



## UNIVERSAL STURDI-WALL®

Pallets: 192/ea.

#POSTBUNIV



## POST PROTECTORS

Pallets: 192/ea.

5x5  
56 Pallet

#POST55

6x6 - 42  
Pallet

#POST66

3ply 2x6  
54/Pallet

#POST  
3PLY26



## STURDI-WALL® BRACKET

Pallets: 96/ea.

5x5

#POSTB55

6x6

#POSTB66

3ply 2x6

#263  
PLYBRK



## FOOTINGPAD

10" - 550/Pallet

#FOOTPAD10

16" - 175/Pallet

#FOOTPAD16



## UPLIFT PLATE

50/Pallet

#UPLFPL



## SCREW ANCHOR

5/8" x 6"

#POSTBANHW10

# SIMPSON STRONG-TIE CONNECTORS



## H1A HURRICANE TIE

100/Box

#HURCLIPH1



## H2.5A HURRICANE TIE

100/Box

#HURCLIP25



## H6 HURRICANE TIE

50/Box

#HURCLIPH6



## H10A HURRICANE TIE

50/Box

#HURCLIPH10



## LUS JOIST HANGER

2x4 - 100/Box

#JOIST24

2x6 - 100/Box

#JOIST268

2x8 - 50/Box

#JOIST2810

2x10 - 50/Box

#JOIST21012



## PFDB SADDLE HANGER

25/Box

#JOIST268SAD



# PRECAST CONCRETE COLUMNS

## 3PLY 2x6 NAIL LAM

4.675"x 13" Bracket

4-3/16" Pocket

28/Pallet

Hardware Kit (#HW63) Sold Separately

#PC6300

## 6x6 POST

5.675"x 13" Bracket

5-5/8" pocket

28/Pallet

Hardware Kit (#HW66) Sold Separately


#PC6600

ICC-ES certified Perma-Column® precast concrete columns elevate wood out of the ground, ensuring your building's foundation will never rot.

They combine the economy of post-frame construction with the durability of a concrete foundation. They are constructed of 100% American-made 1/4" steel finished with a tough powder coat, 1/2" and 5/8" grade 60 rebar, and 10,000 psi concrete.



**INCREASE THE  
LONGEVITY OF  
YOUR BUILD!**



© 2024 Perma-Column, LLC All rights reserved.

# PRECAST CONCRETE COLUMN ACCESSORIES




## SKIRT BOARD DRIVE ANCHOR

3/16"x2.5" Spiral Concrete Nail

Sold each

2.5DAGS





## UPLIFT ANCHOR

50/Box


Includes:

- (2) Angles, (1) Bolt/Nut
- (2) 8.5" Uplift Anchor

#UA61




**NEW INNOVATIVE TRIM IS DESIGNED TO COVER BOTH THE POST ITSELF, THE PERMA-COLUMN® BASE AND ANY EXPOSED BOLTS!**





# STOCK TRUSSES

---



## 30' COMMON/GABLE

2x6 Yellow Pine Chords & Webs

Pitch:

- 4/12

Height:

- 4/12 - 5' 6 1/16"

Use:

- Up to 5' on center. Or Less than or Equal to 5' OC
- 5lbs TC/ 10lbs BC
- 115mph Wind/ 20lbs Snow

#30(PITCH/12)(COMMON/GABLE)



## 40' COMMON/GABLE

2x6 Yellow Pine Chords & Webs

Pitch:

- 4/12

Height:

- 4/12 - 7' 2 1/16"


Use:

- Up to 5' on center. Or Less than or Equal to 5' OC
- 5lbs TC/ 10lbs BC
- 115mph Wind/ 20lbs Snow

#40(PITCH/12)(COMMON/GABLE)


# SPECIAL ORDER TRUSS GUIDE

The Burrow's Truss Department – where precision meets customization. To ensure we craft the perfect truss for your project, we've compiled this list of specifications, guaranteeing accuracy and efficiency in every order.



## SPECIAL TRUSSES

<b>Length:</b>		Total length from the outside of each bearing wall
<b>Pitch:</b>		2/12 to 12/12 - The higher the first number, the taller the truss.
<b>Bearing Wall:</b>		What dimensions of framing/posts are they using? 5x5, 6x6, 2x4... etc.
<b>OC Spacing:</b>		How far apart will these trusses be spaced? 3'-5' - storage/barn, 2' - buildings w/ sheetrock ceilings.
<b>Overhang:</b>		Fill in with length desired. Note if Tail or Cantilever style.
<b>Snow:</b>		Snow & Wind are lines to note the load ratings needed for this special order design. The ratings will be based on the location of the build. You will need City & State.
<b>Wind:</b>		
<b>Top Chord:</b>		Will the roof be Metal (5lb) or Shingle (10lb)?
<b>Bottom Chord:</b>		Will the ceiling be enclosed? Metal (5lb) or Sheetrock (10lb)?
<b>Common:</b>		Quantity.
<b>Gable:</b>		Quantity.
<b>Scissor:</b>		Quantity or alternative style & quantity.



# METAL PRODUCTS GUIDE


The Burrow's Metal Department – where quality meets versatility.

To ensure your project's needs are met with precision, we offer customizable options in both 29-gauge and 26-gauge metal, available in a spectrum of colors.

Simply specify your desired quantities, lengths, and dimensions, and let us tailor-make your panels to perfection!

## POWERED BY SHERWIN-WILLIAMS® WEATHERXL™ TECHNOLOGY

- All colors available in 29-gauge
- Colors marked with \* are also available in 26-gauge
- Colors marked with \$ available in 20 Year Warranty (29-gauge only)



*All colors carry a 40-year limited warranty. All Thrifty Colors carry a 20-year limited warranty. See warranty sheets for warranty criteria. Sherwin-Williams® and WeatherXL™ are trademarks of SWIMC LLC.*

Paint for all colors is provided by

**SHERWIN-WILLIAMS.**  
Coil Coatings

**WeatherXL™**

# PAINT COLOR GUIDE FOR ROOFING, SIDING, AND TRIM

Choose from our vast selection of paint colors in 29- and 26-gauge steel.

Acrylic Galvalume	Evergreen (formerly Hunter Green)	Ivy Green (formerly Forest Green)	Burgundy
Brown	Rural Red (formerly Rustic Red)	Dark Red (formerly Radiant Red)	Crimson
Matte Black	Burnished Slate	Arctic White	Light Stone
Ivory	Tan	Copper Metallic	Ocean Blue
Gallery Blue	Charcoal	Alamo White	Ash Gray
Old Town Gray	Taupe	Buckskin	

Galvalume® is an internationally recognized trademark of BIEC International, Inc.

## TEXTURED COLORS

Textured colors are available in 29-gauge steel only.

Arctic White Crinkle	Evergreen Crinkle	Burnished Slate Crinkle	Burgundy Crinkle
Dark Brown Crinkle	Rust Crinkle	Rustic Red Crinkle	Koko Brown Crinkle
Black Crinkle	Gallery Blue Crinkle	Charcoal Crinkle	Alamo White Crinkle
Ash Gray Crinkle	Light Stone Crinkle	Taupe Crinkle	Buckskin Crinkle

NOTE: Actual paint colors may differ from these printed swatches due to the limitations of the printing process. For actual paint colors please request a physical paint chip guide.

### 40-YEAR PAINT WARRANTY

Sherwin Williams WeatherXL Siliconized Polyester 40-Year Limited Warranty backs our prime line of metal siding, roofing, and trim products against changing color, chalking, cracking, fading, and peeling for 40 years.



# WOODGRAIN STEEL GUIDE FOR SIDING AND TRIM



**Rough Sawn  
Cedar**



**Rough Sawn  
Cedar Gray**



**Barnwood  
Plank**


## The natural look of wood with the proven performance of steel

Introducing the latest innovation in high-definition digital printing. Choose from three stunningly realistic woodgrain-pattern designs printed on 26-gauge steel.



**A product and process  
like no other**

Tru-Steel HD® by Steel Dynamics combines the durability of environmentally friendly electron-beam curing technology with the sustainability of a no-VOC product. Unlimited uses, green for the environment, and timeless beauty.




























- 1 | Cold-Rolled Steel Base
- 2 | Galvanized/Galvalume® Coating
- 3 | Pretreatment
- 4 | Primer Coat
- 5 | Top Coat
- 6 | High-Definition Image
- 7 | Electron-Beam Protective Clear Coat

### 20-YEAR CLEAR COAT WARRANTY

Tru-Steel HD® has a 20-Year Limited Warranty on the electron-beam clear-coat barrier protection that helps the steel withstand the elements.

# QUADRA-LOC TRIM





# WEATHERPROOFING



## POLY FOAM WITH GLUE

Dimensions: 1 1/2" x 1 1/2" x 40'  
10/Box

#POLY40GLUE



## EM SEAL EXPANDING FOAM

Dimensions: 1/4x 1x 19'  
26/Box


#EMSEAL



## BUTYL TAPE

Dimensions: 3/8x 45'  
40/Box

#BUTYLTAPE



## OUTSIDE CLOSURES


3' Wide

Sold in sets of 4 | 100/Box

In Stock Profiles:

- Quadra-Loc
- Quadra-Loc Plus
- R-Panel

#CLOSOUT(PROFILE)



## INSIDE CLOSURES

3' Wide

Sold in sets of 4 | 100/Box

In Stock Profiles:

- Quadra-Loc
- Quadra-Loc Plus
- R-Panel

#CLOSEINS(PROFILE)



## FLEXOVENT

Dimensions: 3" W x 2" T x 20'  
1/Box

#FLEXOVENT



## VENTED CLOSURE - QLP PROFILE

Dimensions: 3/4" x 3'  
25/Box


#VENTCLOSUREQLP

# INSULATION & VENTILATION




**THERMA-GUARD INSULATION**  
6' x 125'

NO TAPE: #6125THGRD



**METAL-BUILDING INSULATION**  
3" R10 Faced Fiberglass  
(3' x 100'/roll)

#VBACK3



**MF PIPE FLASH**

1/4"-4"

#MPF3

3"-6"

#MPF4

5"-9"

#MPF6

7"-13"

#MPF8

9"-20"

#MPF9



**HIGH TEMP PIPE FLASH**

1/4"-4"

#MPFH3

3"-6"

#MPFH4

5"-9"


#MPFH6

7"-13"

#MPFH8

9"-20"


#MPFH9



**RETRO FIT PIPE FLASH**

1/2"-4" Zipper

#RETBOOT124



**DOUBLE BUBBLE INSULATION**

4' x 125'

TAPE

#4125DBTE

NO TAPE

#4125DBNT



**GABLE VENT**

Color: White | 2/Box

24"x30"

#GABVENT2430WH

30"x30"

#GABVENT3030WH




**RIDGE VENT**

Stock: All colors

#RDVN(COLOR)

# CUPOLAS


---



## STRAIGHT ROOF

36' Model


#CUPRF(COLOR)



## LOUVERED SIDES

36' Model

#CUPSD(COLOR)



## PRE-ASSEMBLED BASE

Must specify pitch (3/12 or 4/12)

36' Model

PN: #CUPBS(COLOR)(312/412)

## COLORS AVAILABLE

ALAMO • ARTIC • BURGUNDY • BLACK • BROWN • B SLATE • CHARCOAL • CRIMSON • FOREST • GALLERY  
GALVALUME • GRAY • HUNTER • IVORY • LT. STONE • RUSTIN • TAN • TAUPE

# STOCK WEATHERVANES

Attaches to cupola roof cap | Height: 29"

## 24" WEATHERVANES



**COW**

#WVANECOW24



**DOCTOR**

#WVANEDOC24



**EAGLE**

#WVANEEAG24



**HORSE**

#WVANEHOR24



**SPEAR**

#WVANESPR24



**ROOSTER**

#WVANERST24

## 30" WEATHERVANES




**BUCK**

#WVANEBK29



**EAGLE**

#WVANEEAG30




**TRACTOR**

#WVANETRC29

# STRUCTURAL ACCESSORIES: WINDOWS & SKYLIGHTS

- Multi-chambered extruded vinyl frame and sash provide stability with excellent strength, thermal-resistant properties and is extremely low maintenance.
- Integral pre-punched nail fin adds strength, is a weathertight barrier and provides ease of installation.
- Fusion-welded corners in frame and sash provide strength and virtually eliminate air and water infiltration.



## WHITE VINYL WINDOWS

### SERIES 400

Single Hung

Double Pane with Grids

Clear Glass

Includes Screen

Sizes on Hand:

- 2' x 3'
- 3' x 3'
- 3' x 4'
- 3' x 5'

#WDWVNL(SIZE)

## BLACK VINYL WINDOWS

### SERIES 200

Single Hung

Double Pane NO GRIDS

Clear Glass

Includes Screen

LOW-E Argon Filled!

Sizes on Hand:

- 3' x 3'
- 3' x 4'
- 3' x 5'

#WDWVNLBK(SIZE)NG

## SKYLIGHT PANELS

### QLOC - 12'

White LT 85%

#SKYWHQL12

### QLP - 12'

White LT 85%

#SKYWHQLP12

Clear LT 90%

#SKYCLQLP12



## STRUCTURAL ACCESSORIES: DOORS



### STANDARD PROFILE – 3' x 6'8"

#### SERIES 99

WHITE - UNIVERSAL INSWING

Also stocked in 4' x 6'8"

PN: #993068DOOR

#### SERIES 95

WHITE - RIGHT HAND INSWING

#953068DOORRHINSWING

#### SERIES 20

WHITE - UNIVERSAL INSWING

#203068DRPOL

#### SERIES 20

BLACK – RIGHT HAND INSWING

#203068BKRHIS

#### SERIES 20

BLACK – LEFT HAND INSWING

#203068BKLHIS



### 1-LITE WITH CROSSBUCKS – 3' x 6'8"

#### SERIES 20

BLACK – RIGHT HAND INSWING

Foam-filled Jamb

#2030681LTBKRHIS

#### SERIES 20

BLACK – LEFT HAND INSWING

Foam-filled Jamb

#2030681LTBKLHIS



### 9-LITE WITH CROSSBUCKS – 3' x 6'8"

#### SERIES 20

WHITE – RIGHT HAND INSWING

#2030689LTXBKPOLH

#### SERIES 20

WHITE – LEFT HAND INSWING

#2030689LTXBKPOLH (Note: same number as above)



# SLIDING DOOR HARDWARE

---



## INSIDE DOOR STOP - 190500

#ISDRSTP




## STEEL BOX GIRTS

Dimensions: 1-1/2" x 3-1/2"

Stock Sizes: 8', 10', 12', 14', 16', 18', 20'

#BOXGIRT(LENGTH)




## AV

Color: White

Stock Sizes: 10', 12', 14', 16'

#AV(LENGTH)AR



## HV

Color: White

Stock Sizes: 10', 12', 14', 16'

#HV(LENGTH)AR



## BOTTOM RAIL WHITE

1-1/2" Sizes: 10', 12', 14', 16'

#BTRAILWH(LENGTH)



## CENTER GUIDE

#CENTGUIDE

## SLIDING DOOR HARDWARE (CONTINUED)

---




**JAMB LATCH 7" HOOK**

#JAMBLATCH7




**TURNBUCKLE HOOK**

#TURNBUCKLE



**HASP**

#HASP



**T-HINGE**

#THINGE



**WHITE HANDLE**

#HANDWHT



**GALVANIZED HANDLE**

#HANDGV

# SLIDING DOOR HARDWARE (CONTINUED)



**CANNONBALL KEYHOLE® ROUND TRACK**

8'

#KHLTR08

10'

#KHLTR10

12'

#KHLTR12



**STAY GUIDE™**

6'

#STGD06

10'

#STGD10



**DELRLN PENDANT BOLT TROLLEYS**

#DLRNTRLY



**CANNONBALL GUIDE RAIL BRACKET**

#CBGUIDEBR



**CENTER LATCH**

#CENTLATCH

## SLIDING DOOR HARDWARE (CONTINUED)

---



### TOP MOUNT BRACKETS

#KHLTMBKT



### FACE MOUNT BRACKETS

#KHLFMBKT



### FACE MOUNT BIGG FRAME® BRACKET

Special Order



### SNUGGERS

#CENTLATCH191500



### SPLICE COLLAR


#CBSPLICE



### END CAP

#CBRTCAP

# SLIDING DOOR HARDWARE



## Required Number of Components

### 1 CANNONBALL KEYHOLE® ROUND TRACK

Enough track for length of run to be double the width of the opening (i.e., 10' opening = 20' track).

8' #KHLTR08 10' #KHLTR10 12' #KHLTR12

### 2 TRACK BRACKETS

Up to 600# per panel = 1 bracket every 2' of track.  
Over 600# = 1 universal bracket every 1' of track.

a Top Mount Brackets #KHLTMBKT

\*use track cover #CBTMRCT{CC}{LF}2

c Face Mount Bigg Frame® Bracket - SPECIAL ORDER

b Face Mount Brackets #KHLFMBKT

\*use track cover #CBFMRCT{CC}{LF}2

### 3 SPLICE COLLAR #CBSPLICE

One less than number of track sections (i.e., 3 pieces of track requires 2 splice collars).

### 4 END CAP #CBRTCAP

1 PAIR

1 PAIR

### 5 DELRIN PENDANT BOLT TROLLEYS #DLRNTRLY

1 PAIR

2 PAIR

### 6 AV SIDE RAIL (see chart for type) #AV(LENGTH)AR

2

3

### 7 HV DOUBLE COUPLE (see chart for type) #HV(LENGTH)AR

0

1

### 8 BOTTOM RAIL WHITE (see chart for type) #BTRAILWH(LENGTH)

1

2

### 9 STEEL BOX GIRTS

Provides horizontal support on sliding door frames.

Dimensions: 1-1/2" x 3-1/2"

Stock Sizes: 8', 10', 12', 14',

16', 18', 20'

#BOXGIRT(LENGTH)

Number of Horizontal Girts Required

Door Panel Height	Door Panel Width (dimensions are for each individual door panel used)									
	6'	7'	8'	9'	10'	12'	14'	16'	18'	20'
8'	4	4	4	4	4	4	4	6	6	6
10'	5	5	5	5	5	5	5	7	7	7
12'	6	6	6	6	6	6	6	8	8	8
14'	7	7	7	7	7	9	9	9	9	9
16'	10	10	10	10	10	10	10	10	10	10
18'	11	11	11	11	11	11	11	11	11	11
20'	12	12	12	12	12	12	12	12	12	12

□ = Bigg Frame System Recommended with 3 top horizontal girts & spacers

### 10 DOOR PULLS

White Handle #HANDWHT

1

2

Galvanized Handle #HANDGLV

### 11 INSIDE DOOR STOP - 190500

Often mixed for aesthetic or functional reasons.

2

2

#ISDRSTP

### 12 STAY GUIDE™

Must be 60% of panel width and is recommended.

1

2

6' #STGD06 10' #STGD10

### 13 JAMB LATCH 7" HOOK SIDE LATCH

Also works as interior door pull.

2

2

#JAMBLATCH7

### 14 CENTER LATCH

Also works as interior door pull.

0

1

#CENTLATCH

### 15 CENTER GUIDE

#CENTGUIDE

0

1

# FASTENING & FINISHING



## NOVAFLEX CAULK

12/Box

#NFLEX(COLOR)



## PAINT PEN

25/Box

#PAINTPEN(COLOR)



## METAL TO WOOD SCREWS

1.5" – 250/Bag, 10/Bags per Box | 2" – 250/Bag, 8/Bags per Box

#(SIZE)MW(COLOR)



## 3/4" STITCH SCREWS

3/4" – 250/Bag, 10/Bags per Box

#34STITCH(COLOR)



## 16D RING SHANK GALVANIZED NAIL

50lb Box

#NAIL16DRS



## 16D SMOOTH GALVANIZED NAIL

50lb Box

#NAIL16SM




## 40D POLE BARN NAIL

25lb Box PN

#NAILPB40MZE25

50lb Box PN

#NAILPB40MZE50



## NAIL GUN NAILS

30 degree Paper Taped, Clipped Head, Ring Shank, 3.25"  
2,000/Box, 12/Boxes per Pallet

#NAIL30DGALV



# FASTENING & FINISHING (CONTINUED)



**3” STAR DRIVE DECK SCREW**

25lb Box

#DECKSCR3



**TIMBER HEX SCREW 5/16” X 4”**

#SCREW5164



**TIMBER HEX SCREW 5/16” X 6”**

1”, 1.5”, 2”

#TIMBERHEX6



**HEX LAG SCREW**

3/8” x 2”

#LAGSCREW382

3/8” x 4”

#LAGSCREW384



**HEX HEAD GIRDER SCREW**

1/4” x 4.5”

#GIRDERSCR



**JOIST HANGER SCREWS**

#10 x 1 1/2”

#SD10112R500

**FASTENING & FINISHING (CONTINUED)**

---



**WASHER**  
1/2" Zinc  
#WASHER12

5/8" Galvanized  
#WASHER58GV



**NUT**  
1/2" Zinc  
#NUT12


5/8" Galvanized  
#NUT58GV



**SCREW ANCHOR**  
5/8" x 6"  
#POSTBANHW10



**WEDGE ANCHOR**  
5/8" x 5"  
#ANC585



**CARRIAGE BOLT**  
1/2" x 6" Zinc Plated  
#BOLT126

1/2" x 8" Zinc Plated  
#BOLT128

1/2" x 11" Zinc Plated  
#BOLT1211

5/8" x 11" Galvanized  
#BOLT5811GV

# SmartBuild

✓ CUSTOMIZATION: ENDLESS

✓ NO SIGN ON FEE

✓ BENEFITS: LIMITLESS

*"With SmartBuild, you can typically increase the deal close rate by 50% and cut bid time to about 20 minutes"*

- Build a cut list for sheathing and trim
- Automatically frame their custom structure
- Automatically generate construction drawings
- Design a post frame building in real-time with your clients
- Update the 3D model with a menu-driven set of prompts
- Create material lists and pricing automatically

*SmartBuild charges a percentage of each ordered design, which will be added to the total cost of your purchase through Burrow's.*



## UNLOCK YOUR SALES POTENTIAL WITH FREE BARNDOMINIUM FLOORPLANS

Whether your customers are dreaming of a modern barndo or a classic shop-house, our exclusive, customizable plans—crafted by renowned designer Stacey Lynn—are here to inspire and streamline your build process.

Download now and offer  
your clients the perfect  
starting point for their  
dream homes!



DOWNLOAD  
BARNDOMINIUM FLOOR PLANS



### PROUDLY SERVING

Arkansas • Colorado • Illinois • Iowa • Kansas • Kentucky • Louisiana • Mississippi • Missouri  
Nebraska • New Mexico • Oklahoma • South Dakota • Tennessee • Texas • Wyoming



**BURROW'S**  
COMPLETE POST-FRAME SOLUTIONS

[burrows-supply.com](https://burrows-supply.com) | 800.766.5793

With our commitment to ongoing product improvement, Burrow's reserves the right to change, without notice, product specifications, availability, prices and conditions of sale.

© 2025 Burrow Construction LLC All Rights Reserved. 25-BCI-006